

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: VELA/HTX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRIFICANTI S.p.A.

Via Riva 16

14021 BUTTIGLIERA D'ASTI (AT) - ITALY

Telephone: +39 011 9922 811 (CENTRALINO)

Fax: +39 011 9921 670

Contact Person: FUCHS LUBRIFICANTI S.p.A. - HEALTH & SAFETY

Telephone: +39 011 9922 817 Fax: +39 011 9921 670

E-mail: schedesicurezza@fuchslubrificanti.it

1.4 Emergency telephone number: FUCHS Italy +390119922817 (h8:30-17:30); +390119922811 (h24)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

Chronic hazards to the aquatic

Category 3

H412: Harmful to aquatic life with long lasting

effects.

Hazard summary

environment

Physical Hazards: No data available.

2.2 Label Elements

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018

SDS GB - EN - 000000000600693688

Revision Date: 25.01.2018 Version: 2.0



Precautionary Statements

Prevention: P273: Avoid release to the environment.

Supplemental label information

EUH208: Contains: Acryl polymer, Calcium sulfonate. May produce an

allergic reaction.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
ZnDTP	EINECS: 224-235-5	1,00 - <2,50%	01-2119493635-27	
Calcium Sulfonate	Polymer	1,00 - <5,00%		
Calcium sulfonate	EINECS: 271-877-7	1,00 - <5,00%		
Acryl polymer	EINECS: 205-570-6	0,10 - <0,25%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Identifier	Classification	
ZnDTP	EINECS: 224-235-5	CLP: Eye Dam. 1;H318, Aquatic Chronic 2;H411	
Calcium Sulfonate	Polymer	CLP: , Aquatic Chronic 4;H413	
Calcium sulfonate	EINECS: 271-877-7	CLP: Skin Sens. 1B;H317, Aquatic Chronic 4;H413	
Acryl polymer	EINECS: 205-570-6	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Sk Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, STOT SE 3;H335	

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General: Change clothes and shoes contaminated or soaked by the product. Never

put rags contaminated by the product into clothing pockets.

Issue Date: 28.09.2015 Revision Date: 25.01.2018

SDS_GB - EN - 000000000600693688

Print date: 19.06.2018

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention if symptoms occur.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

Causes skin and eye irritation.

4.3 Indication of any immediate medical attention and

medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Do not allow to enter drainage system, surface or ground water.

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018

SDS GB - EN - 000000000600693688

Version: 2.0



6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to

regulations.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with eyes, skin, and clothing. Prevent formation of aerosols. Observe good

industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the

flash point.

7.3 Specific end use(s): Not applicable

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Adequate ventilation should be provided so that exposure limits are not

exceeded.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018



Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Its skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Red

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: Not applicable

Freezing point: Not applicable for mixtures

Boiling Point: Not applicable

Flash Point: 195 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Vapor density (air=1):

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0,88 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:Value not relevant for classificationDecomposition Temperature:Value not relevant for classification

Issue Date: 28.09.2015 Revision Date: 25.01.2018

Print date: 19.06.2018



Kinematic viscosity: 56 mm2/s (40 °C)

Explosive properties: Value not relevant for classification

Oxidizing properties: Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: May cause an allergic skin reaction.

Eye contact: Causes eye irritation.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

ZnDTP LD 50 (Rat): 4.358 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product:

Not classified for acute toxicity based on available data.

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018



Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Specified substance(s)

(Rabbit): **ZnDTP**

None.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are met.Based on

available data, the classification criteria are not met.

Specified substance(s)

ZnDTP (Rabbit):

Slightly irritating.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

ZnDTP LC 50 (Fish, 96 h): 4,4 mg/l

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018

SDS GB - EN - 000000000600693688

Version: 2.0



Aquatic Invertebrates Specified substance(s)

ZnDTP EC 50 (Water Flea, 48 h): 75 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

Specified substance(s)

ZnDTP NOEC (Fish, 4 d): 3,2 mg/l

Aquatic Invertebrates Specified substance(s)

ZnDTP NOEC (Water Flea, 21 d): 0,4 mg/l

Toxicity to Aquatic Plants Specified substance(s)

EC 50 (Alga, 72 h): 410 mg/l **ZnDTP**

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

ZnDTP 5 % (28 d, OECD 301B)

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: Harmful to aquatic life with long lasting effects.

Water Hazard Class

(WGK):

WGK 2: significantly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

European Waste Codes

SDS_GB - EN - 000000000600693688

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

Issue Date: 28.09.2015 Revision Date: 25.01.2018

Version: 2.0 Print date: 19.06.2018



14.1 UN Number:

ADR/RID

SECTION 14: Transport information

14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Non-dangerous goods Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: **ADN** 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Non-dangerous goods Class: Label(s): 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: **IMDG** 14.1 UN Number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es) Class:

Label(s): EmS No .: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

IATA

14.1 UN Number: 14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods Label(s):

14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018 SDS_GB - EN - 000000000600693688

Version: 2.0



Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Other information: The classification complies with the current EU lists; however, it has been

supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the

application of the conventional method.

Revision Date: 25.01.2018

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 28.09.2015 Revision Date: 25.01.2018 Print date: 19.06.2018